



Notes:

1. All drawings to be read in conjunction with all Drawings relevant to project.
2. Do not scale from drawings, any discrepancy should be notified immediately
3. Glazing
6mm Clear Toughened Outer
16mm Argon Filled Cavity
6mm Clear Toughened 'Low E' Inner
4. P.P.C to Required RAL Colour
7016 - Anthracite Grey
5. All Rooflights Require a minimum 5° slope, if you require anything less please consult our head office.

REV No	DESCRIPTION	DMW	CHKD	DATE	APP
--------	-------------	-----	------	------	-----



Naturalight Systems Ltd
 Accessory House
 Barrington Industrial Estate
 Bedlington
 Northumberland
 NE22 7DQ
 Tel: (01670) 530333
 Fax : (01670) 824540
 info@Naturalight.co.uk
 www.Naturalight.co.uk



Project:
UPVC Solaglaze

Description:
UPVC Solaglaze Typical Details
1000mm x 1000mm

Drawn By: L.O	Checked By: N/A	Approved By: N/A
------------------	--------------------	---------------------

Date Drawn: 01.02.2022	Job Number: Solaglaze	Scale: NTS
---------------------------	--------------------------	---------------

Drawing No.:
NLS-Solaglaze-CD-1000 X 1000